

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1374	257/686.ccls.	USPAT; US-PGPUB
2	BRS	L2	1547	257/723.ccls.	USPAT; US-PGPUB
3	BRS	L3	1205	257/777.ccls.	USPAT; US-PGPUB
4	BRS	L4	142	L1 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
5	BRS	L5	109	L2 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
6	BRS	L6	117	L3 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
7	BRS	L7	127	L4 and first with (chip or die)	USPAT; US-PGPUB
8	BRS	L8	92	L5 and first with (chip or die)	USPAT; US-PGPUB
9	BRS	L9	105	L6 and first with (chip or die)	USPAT; US-PGPUB
10	BRS	L10	84	L7 and (stiffener or frame or support)	USPAT; US-PGPUB
11	BRS	L13	1573	257/787.ccls.	USPAT; US-PGPUB
12	BRS	L14	67	L13 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
13	BRS	L15	46	L14 and exposed	USPAT; US-PGPUB
14	BRS	L16	1	"6316727".PN.	USPAT
15	BRS	L17	1	"6313522".PN.	USPAT
16	BRS	L18	1	"6297548".PN.	USPAT
17	BRS	L19	1	"6201294".PN.	USPAT
18	BRS	L20	1	"5963430".PN.	USPAT
19	BRS	L21	1	"5864062".PN.	USPAT
20	BRS	L22	1	"5784264".PN.	USPAT
21	BRS	L23	1	"5748452".PN.	USPAT
22	BRS	L24	1	"5237204".PN.	USPAT
23	BRS	L25	1	"5172303".PN.	USPAT
24	BRS	L11	84	L7 and (stiffener or frame or support)	USPAT; US-PGPUB
25	BRS	L27	1	"6424034".PN.	USPAT
26	BRS	L28	1	"6351028".PN.	USPAT
27	BRS	L29	1	"6005778".PN.	USPAT
28	BRS	L30	1	"5081563".PN.	USPAT

	Type	L #	Hits	Search Text	DBs
29	BRS	L12	66	L9 and (stiffener or frame or support)	USPAT; US-PGPUB
30	BRS	L26	62	L8 and (stiffener or frame or support)	USPAT; US-PGPUB
31	BRS	L31	1	"6337521".PN.	USPAT
32	BRS	L32	1	"6307257".PN.	USPAT
33	BRS	L33	1	"6297547".PN.	USPAT
34	BRS	L34	1	"6261865".PN.	USPAT
35	BRS	L35	1	"6118176".PN.	USPAT
36	BRS	L36	1	"6087722".PN.	USPAT
37	BRS	L37	1	"6087718".PN.	USPAT
38	BRS	L38	1	"6087718".PN.	USPAT
39	BRS	L39	1	"6080264".PN.	USPAT
40	BRS	L40	1	"5814881".PN.	USPAT
41	BRS	L41	1243	257/712.ccls.	USPAT; US-PGPUB
42	BRS	L42	887	257/713.ccls.	USPAT; US-PGPUB
43	BRS	L43	30	L41 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
44	BRS	L44	25	L42 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
45	BRS	L45	18	L43 and (stiffener or frame or support)	USPAT; US-PGPUB
46	BRS	L46	18	L44 and (stiffener or frame or support)	USPAT; US-PGPUB
47	BRS	L47	569	438/109.ccls.	USPAT; US-PGPUB
48	BRS	L48	887	438/107.ccls.	USPAT; US-PGPUB
49	BRS	L49	1076	438/108.ccls.	USPAT; US-PGPUB
50	BRS	L50	617	438/122.ccls.	USPAT; US-PGPUB
51	BRS	L51	810	438/125.ccls.	USPAT; US-PGPUB
52	BRS	L52	323	438/617.ccls.	USPAT; US-PGPUB
53	BRS	L56	12	L50 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs
54	BRS	L58	17	L52 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
55	BRS	L57	48	L51 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
56	BRS	L54	59	L48 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
57	BRS	L53	60	L47 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
58	BRS	L55	80	L49 and (interposer or spacer) and wire and (bump or ball)	USPAT; US-PGPUB
59	BRS	L59	217	257/686.ccls.	EPO; JPO;
60	BRS	L60	429	257/723.ccls.	<del>EPO;</del> TDB JPO;
61	BRS	L61	134	257/777.ccls.	<del>EPO;</del> TDB JPO;

IBM\_TDB